## MUGBERIA GANGADHAR MAHAVIDYALAYA

[NAAC: B+ (3rd Cycle); College with Potential for Excellence (UGC); Star College, DBT (Gol)]

(Affiliated to Vidyasagar University) Vil+PO-Bhupatinagar, Dist.- Purba Medinipur West Bengal, Pin-721425, Phone: 03220-270236

e-mail: mugberia\_college@rediffmail.com

Ref. MGM/quotation 370/2022-23 From: The Principal/Secretary

Mugberia Gangadhar Mahavidyalaya

Dated: 23,02,2023

Dear Supplier,

Quotations are invited for the purchase of following instruments for Dept of Nutrition, Mugberia G. Mahavidyalaya within 10.03.2023 in both soft and hard copy.

## For sending hard copy

To the following address with mentioning "Quotation for purchase instruments for Dept. of Nutrition" on the envelop.

"The Principal, Mugberia Gangadhar Mahavidyalay, Vil+PO- Bhupatinagar, Dist-Purba Medinipur, West Bengal, Pin-721425"

## For sending soft copy

Mail in both e-mail id mugberia\_college@rediffmail.com, apurbandri@gmail.com with mentioning subject of the mail as "Quotation for purchase instruments for Dept. of Nutrition"

Thanking you,

Yours faithfully,

Principal

Mugberia G.Mahavidyalaya

Principal Musella Gangadhar Mahavidyalaya



\* Suppliers have to set each and every apparatus at our laboratory after delivery. \* GST charges should be clearly mentioned in the quotations

SL. No.	Name of the instrument	Specification
	Skin Fold	Measuring Range-0 to 80mm
	Caliper	Accuracy-99.99%
		Display Type- Analog
1		Usage/Application- Laboratory
		Packaging Type- Box Packing
		Human body fat measurement
2	Anthropom	Anthropometric Rods are made of Brass.  These are used for vertical and horizontal measurement of long bones at the same control of the same of four long and two small rods.
	etric Rod	These are used for vertical and norizontal includes
		These are used for vertical and nonzental small rods.  time consisting of a set of four long and two small rods.  time consisting of a set of four long and two small rods.
		Faur rode are attached at exclusive position
		200cm lengthwise.  Two small rods facilitate to clamp the bone and measure width wise at the same time
		Two small rods facilitate to clamp the bolic and mountain
		upto 25cm. upto 25cm. movement and clear markings.
		upto 25cm. Chromium plated brass rods have smooth finish, movement and clear markings.
	-	0.019/ (Proceure)
	Sphygmom	1 (nrocciire i-u-i)// IIIII **D
	anometer	Measurement range (heart rate): 40-180 beats/min
	(Aneroid)	Usage/Application- Laboratory
		Tube Material- PVC Coil
		Cuff Circumference: 22-42 cm
3		Dimensions: 52(L) x 90(W)x33(H)mm
		Pack Type- Box
		Pump Material- Rubber
		Air Release Rate-3 mm/sec
		Product Type: Aneroid
	G 1	Type of Product: Sphygmomanometer
	Sphygmom	D. J. of Cub Type ' Mercury
	anometer	In Droccure: U=300 IIIII 115
	(Mercury)	Measurement In Pressure : 0 80 beats/minute  Measurement In Pulse : 40-180 beats/minute
4		Pressure Accuracy : ±1 mm Hg
7		Accuracy In Pulse: ±2 %
		1 xxx-1-abe : 600 a
	1	Dimensions (L x W x H): 98 x 324 x 67 mm  Dimensions (L x W x H): 98 x 324 x 67 mm
		Dimensions (L x W x H): 98 x 324 x 07 mm  Stainless Steel Chest Piece With Special Diaphragm, Soft Adjustable Stainless Steel  Stainless Steel Concealed Frame, Best
	Stethoscope	Stainless Steel Chest Piece With Special Diaphragin, Soft Adjustante Stainless Steel Concealed Frame, Best Ear Knobs, Durable Seamless PVC Tubing, Stainless Steel Concealed Frame, Best
5		Ear Knobs, Durable Seames
		Sound Quality  Sound Quality  Analog Weight Bathroom Scale with Rotating Dial Display, Reliable Scale Track,  Analog Weight Bathroom Scale with Rody Weight Machine (Round Shape, 0-
	Analog	Analog Weight Bathroom Scale with Rotating Dial Display, Remarks of Non-Slip & Scratch Resistant Platform Body Weight Machine (Round Shape, 0-
	Weight	Non-Stip & Scratch Resistant
6	Scale For	130kg)
	Human	
	Body	16 14 170
	Electric	Capacity: 15 litres
7	Geyser	Power Source electric Item inner Dimensions LxWxH 30.9 x 30.9 x 50.5 cm
/	1	Item inner Dimensions LX WAIT 50.7 A 50.7





SI. No.	Name of the instrument	Specification
	0.00	Pressure: 8 bar
		BEE Rating: 5 Star
		Inner Tank Material: Mild Steel with Glass lined Coating
	=	Outer Body Material: ABS + PP
		Product Dimensions: 38.5 Cms X 38.5 Cms X 54 Cms
		Material Type: Stainless Steel

